IDROFILL BASE



BLEND OF THE PUREST LOW-CONDUCTIVITY SALTS FOR "OFF THE GROUND" CROPS PROMOTES PLANT GROWTH IN ALL PHASES

IDROFILL BASE is a formulation to be generally applied on all crops, regardless of their phenological phase.

The balanced ratio between the macroelements and the complete range of chelated microelements, make IDROFILL BASE a balanced formulation for hydroponic farming so that it can provide for the crop nutritive requirements throughout the whole cycle, without causing nutritional imbalances.

It is particularly indicated for leafy and fruiting vegetables and all ornamentals.

CROP	TIME OF APPLICATION	DOSE/HECTARE*
Horticultural crops	Throughout the whole crop cycle	0,5-1,5 g/litre
Flowers and ornamentals	Throughout the whole crop cycle	0,5-1,0 g/litre
Strawberries	Throughout the whole crop cycle	0,5-1,2 g/litre
Seedbeds	Throughout the whole crop cycle	0,5-1,0 g/litre

COMPOSITION	
Total nitrogen (N)	10%
Nitric nitrogen (N)	
Phosphoric anhydride (P_2O_5) soluble in water	
Phosphoric anhydride ($P_{\rm z}O_{\rm s})$ soluble in neutral ammonium citrate and in water	
Potassium oxide (K_2O) soluble in water	
Calcium oxide (CaO) soluble in water	8%
Magnesium oxide (MgO) soluble in water	2%
Boron (B) soluble in water	
Copper (Cu) soluble in water	0.002%
Copper (Cu) chelated by EDTA	
Iron (Fe) soluble in water	
Iron (Fe) chelated by EDTA	
Manganese (Mn) soluble in water	0.01%
Manganese (Mn) chelated by EDTA	0.01%
Molybdenum (Mo) soluble in water	
Zinc (Zn) soluble in water	
Zinc (Zn) chelated by EDTA	

PHY	SICO-CHEMICAL FEATURES
SOL	UBLE POWDER

	SOLUBLE POWDER		
	pH (sol 1%)	3.3	
	Conductivity E.C. μS/cm (1‰)	1020	

PACKAGING: 5 - 25 KG

NOTE: The dose of IDROFILL BASE is determined by the characteristics of the water being used, by the cultivated plant's nutritive needs and by the time of application. IDROFILL BASE can be conveniently combined with IDROFILL A and IDROFILL B to optimise the specific nutritional ratios. The inclusion of IDROFILL BASE in the nutritional plan of an "off the ground" crop is always decided by the specialised technician following the crop.